



2 Wire Conventional Fire Alarm System Wall Mount With Sound And Light Alarm

Our Product Introduction

for more products please visit us on xhafiresafety.com

Basic Information

- Place of Origin: China
- Brand Name: XHA
- Certification: CE
- Model Number: XHA1004
- Minimum Order Quantity: 1
- Price: negotiable
- Packaging Details: 8pcs/carton
- Delivery Time: 3-7working days
- Payment Terms: T/T, Western union
- Supply Ability: 100000pcs/month



Product Specification

- Power Supply: AC90-270V
- Alarm Output: Sound/Light, Relay Output
- Compatibility: Compatible With Other Conventional Detectors
- Detection Method: Smoke/Heat
- Installation: Wall Mount
- Wired: 2 Wire
- Name: Conventional Fire Alarm System
- Highlight: Conventional Fire Alarm System Wall Mount ,
2 Wire Conventional Fire Alarm System ,
2 Wire Fire Alarm System Conventional



Product Description

Conventional Fire Alarm System With Sound And Light Alarm CE Certified



Product Description

This traditional fire alarm system is a reliable and cost-effective solution for fire detection in any setting. It is designed to detect smoke and heat in the early stages of a fire, providing ample time for evacuation and fire suppression. The Conventional Fire Alarm System is recommended for use in small to medium-sized buildings, such as offices, schools, and hotels.



Installation of the Conventional Fire Alarm System is a straightforward process that can be completed by a trained professional. It is important to install the fire alarm system in the appropriate location to ensure maximum coverage and effectiveness. The system is equipped with multiple alarms, including visual and audible alarms, to alert people of the potential danger and prompt evacuation.

Overall, the Conventional Fire Alarm System is an excellent choice for property owners who want a reliable and cost-effective fire detection system. Its traditional design and smoke and heat detection method make it a popular choice for small and medium-sized buildings. With easy installation and multiple alarms, this fire alarm system can provide peace of mind for property owners and keep people safe in the event of a fire.

Technical Parameters

Attribute	Value
Type	Conventional
Weight	2.3kg
Detection Method	Smoke/Heat
Power Supply	DC24V
Installation	Wall Mount

Compatibility	Compatible With Other Brand Conventional Detectors
Warranty	1 Year
Operating Humidity	10% To 95%
Number Of Zones	4/8/16
Operating Temperature	-10°C To 50°C



Product Catogary

Conventional Fire Alarm System
 Addressable fire alarm system
 Gas Extinguishing control system
 Beam Detector
 4 wire smoke detectors with relay output.
 2 wire Conventional smoke and heat detectors
 Explosion-proof flame detector for fire alarm system
 Standalone smoke detectors and combustable gas detector



Shenzhen Xinhean Technology Co., Ltd.



+8615986702194



Claire.tian@xinheantech.com



xhafiresafety.com

406,Jude Building,Zhengfeng South Road,Fuyong Street,Bao'An District, Shenzhen City, Guangdong Province.
China,518103