

China XHA

# Addressable Fire Alarm Call Point DC24V For Fire Safety And Fire Security System

## **Basic Information**

- Place of Origin:
- Brand Name:
- Certification: CE
- Model Number: CA9006
  Minimum Order 1PCS
- Quantity:
- Price: negotiable
- Packaging Details: 200pcs/carton
- Delivery Time: 3 Working days
- Payment Terms: T/T, Western Union
- Supply Ability: 5000PCS/Month



## **Product Specification**

| Product Appliction:      | Fire Alarm System                              |
|--------------------------|--|
| Product:                 | Manual Call Point                              |
| Storage Temperature:     | -10°C To +50°C                                 |
| Power Supply:            | DC24V  |
| Communication  Protocol: | Addressable                                    |
| Humidity:                | 10% To 95% Non-condensing                      |
| Name:                    | Addressable Fire Alarm Call Point              |
| Highlight:               | Fire Safety Addressable Fire Alarm Call Point, |

Addressable Fire Alarm Call Point DC24V



#### Addressable Fire Alarm Call Point For Fire Safety And Fire Security System

#### **Product Description**




#### **Product Summary**

An addressable manual call point is a device used in fire alarm systems that allows a person to manually trigger a fire alarm by physically activating the call point. It is called "addressable" because it has a unique digital address that allows the fire alarm control panel to identify the specific location of the activated call point.

It is more commonly used names for these types of devices. They describe the primary function of the call point - to manually activate the fire alarm system in the event of a fire or emergency.

#### **Technical Parameters**

| Product Type:           | Fire Alarm System Manual Call Point |
|-------------------------|-------------------------------------|
| Alarm Output:           | Sound/Light                         |
| Communication Protocol: | Addressable                         |
| Operating Humidity:     | 10-95%                              |
| Power Supply:           | DC24V                               |
| Detection Method:       | Smoke/Heat                          |
| Warranty:               | 1 Year                              |
| Operating Temperature:  | -10-50 Degrees Celsius              |
| Product Type:           | Recoverable                         |



Addressable Fire Alarm System can be used in several scenarios, including but not limited to:

Hotels Shopping malls Hospitals Schools Factories Airports Residential buildings

## **Product Range**

Conventional Fire Alarm System Addressable fire alarm system Gas Extinguishing control system Beam Detector 4 wire smoke detectors with relay output. 2 wire Conventional smoke and heat detectors Explosion-proof flame detector for fire alarm system Standalone smoke detectors and combustable gas detector

хна

Shenzhen Xinhe'an Technology Co., Ltd.

406,Jude Building,Zhengfeng South Road,Fuyong Street,Bao'An District, Shenzhen City, Guangdong Province. China,518103