

6 Inch Fire Bell Smoke/Heat Detection And Sound/Light Alarms For **Conventional Fire Alarm System**

Basic Information

• Place of Origin: China XHA • Brand Name: · Certification: CE

• Model Number: XHAJIL-06

• Minimum Order Quantity:

· Supply Ability:

• Price: negotiable · Packaging Details: 30pcs/carton • Delivery Time: 3-7working days • Payment Terms: T/T, Western union



Product Specification

• Installation: Wall Mount • Detection Method: Smoke/Heat • Sounder Level: 110dB • Alarm Output: Sound • Size: 6 Inch

• Power Supply: DC24V

6 Inch Fire Bell, Fire Alarm System Fire Bell, • Highlight:

100000pcs/month

Smoke/Heat Detection Fire Bell



Product Description

6 Inch Fire Bell For Conventional Fire Alarm Panel Smoke/Heat Detection And Sound/Light Alarms



Product Description

The fire bell's primary function is to alert people to the presence of a fire so that they can evacuate or take other necessary actions to ensure their safety. It is a critical part of a comprehensive fire safety plan. The fire bell is indeed an essential component of a fire alarm system, serving as a crucial safety device in various environments such as commercial buildings, residential complexes, and industrial facilities

Technical Parameters

Product Attribute	Technical Parameter
Power Supply	20vdc to 27vdc
Applications	Fire alarm System
Operating Temperature	-10°C to 50°C
Operating Humidity	10% to 95%
Sound level	75dB-115dB (A) @3M
Installation	Wall Mount
Material of cover	Aluminum



Product Range

Conventional Fire Alarm System Addressable fire alarm system Gas Extinguishing control system Beam Detector

4 wire smoke detectors with relay output.

2 wire Conventional smoke and heat detectors

Explosion-proof flame detector for fire alarm system

Standalone smoke detectors and combustable gas detector



Shenzhen Xinhe'an Technology Co., Ltd.



+8615986702194



Claire.tian@xinheantech.com



xhafiresafety.com

406, Jude Building, Zhengfeng South Road, Fuyong Street, Bao'An District, Shenzhen City, Guangdong Province. China,518103