

CA100 Addressable Fire Alarm Control Panel for Main Power Supply Battery Power Supply Detectors and Modules

Basic Information

Place of Origin: China
Brand Name: XHA
Certification: CE
Model Number: CA100
Minimum Order Quantity: 1PCS

• Packaging Details: 320mm*240mm*80mm

Delivery Time: 3 Working days
 Payment Terms: T/T, Western Union
 Supply Ability: 1000PCS/Month



Product Specification

Type: Smoke Detectors
 Supply Ability: 1000/Month
 Installation: Wall Mounted

Product Name: Addressable Fire Alarm Control Panel
 Name: Addressable Fire Alarm Control Panel
 Customization: Available | Customized Request

• Types Of Smoke Detectors: Photoelectric Smoke Style

Trademark: XHA

• Highlight: Addressable Fire Alarm Control Panel,

advanced addressable fire alarm panel, intelligent addressable fire alarm control panel



More Images



Product Description

Addressable Fire Alarm Control Panel For Smoke Alarm System



Introduction

The CA100 is an addressable fire alarm control panel with 1 loop of 254 capacity control points. It's suitable for small size fire alarm system such as warehouse, factory, housing, KTV or hotel etc.

Parameters

Product name Addressable fire alarm control panel Capacity 254 control points 192*64 Main power supply AC220V± 15%, 50HZ.

Battery power supply DC 24V (1 sealed batteries: 1*12V*2.3Ah) Loop Bus wired Non-polarity 2 wired.

Contacts capacity 1A/24VDC Operating Environment Temperature -10°C~+50°C Humidity ≤95%.

Dimensions 320mm×240mm×80mm. Certification CE

Main Functions

- 1. System self-test function. The system will test indicator light, LCD screen, sounder etc.
- 2. Inquiry function. Check model type zone number, device definition etc.
- 3. Event record. Record the fire alarm information and other operation record.
- 4. Data sampling. Data analysis.
- 5. Setting function. Set the password, time, printer information.
- 6. Install and programming. Address coding, Login, Logical programming
- 7. Feedback function. Give real-time feedback information after starting the equipment.
- 8. Faulty alarm function. Automatically check the working status of main power supply, battery power supply, detectors, modules and report the detail fault information.

Product range

Conventional Fire Alarm System Addressable fire alarm system Gas Extinguishing control system Beam Detector

4 wire smoke detectors with relay output. 2 wire Conventional smoke and heat detectors Explosion-proof flame detector for fire alarm system Standalone smoke detectors and combustable gas detector

Service

- 1. OEM &ODM service.
- 2. Provide technical support and after-sale service.
- 3. 1 year warranty.
- 4. Normally 15 working days lead time.
- 5. Welcome sample order.



Shenzhen Xinhe'an Technology Co., Ltd.



+8615986702194



Claire.tian@xinheantech.com



xhafiresafety.com

406, Jude Building, Zhengfeng South Road, Fuyong Street, Bao'An District, Shenzhen City, Guangdong Province. China,518103