

Data Center Gas Suppression Manual Control Button - Conventional System

Our Product Introduction

for more products please visit us on xhafiresafety.com

Basic Information

- Place of Origin: China
- Brand Name: XHA
- Certification: CE
- Model Number: QT115
- Minimum Order Quantity: 1PCS
- Price: negotiable
- Delivery Time: 3 Working days
- Payment Terms: T/T, Western Union
- Supply Ability: 5000PCS/Month



Product Specification

- Application: Conventional Fire Fighting Gas Extinguishant System
- Specification: 87mm*87mm*49mm
- Type: Recoverable
- Alarm Resistance: 470Ω
- Working Voltage: 9 To 28VDC
- Operating Degree Range: -10°C To 50 °C
- Highlight: **Gas Suppression Manual Control Button, Data Center Manual Control Button**



Product Description

Conventional Manual Release Button For Fire Fighting Gas Extinguishant Control System




Introduction

Emergency start or stop button is used to control gas fire extinguishing system start-up and stopping . Usually installed in the field ,when the fire broke out inside the protected area ,press the " press spray " button on the emergency start and stop button ,you can send a request signal to the gas sprayed gas fire controller (hereinafter referred to as the controller) . Gas fire gas spray controller sends commands by the delay ,start spraying gas solenoid valve. During the delay ,if the site staff confirmed that no fire occurs,immediately press the "Stop" button to terminate the start.

Manual Release Station compatible with all the fire fighting panel. Widely used for Building, Home, Apartment etc

Release button and STOP button

Two buttons are protected by glass cover



Product Range

Conventional Fire Alarm System
 Addressable fire alarm system
 Gas Extinguishing control system
 Beam Detector
 4 wire smoke detectors with relay output.
 2 wire Conventional smoke and heat detectors
 Explosion-proof flame detector for fire alarm system
 Standalone smoke detectors and combustible gas detector

Service

1. OEM & ODM service.
2. Provide technical support and after-sale service.
3. 1 year warranty.
4. Normally 15 working days lead time.
5. Welcome sample order.



Shenzhen Xinhe'an Technology Co., Ltd.



+8615986702194



Claire.tian@xinheantech.com



xhafiresafety.com

406,Jude Building,Zhengfeng South Road,Fuyong Street,Bao'An District, Shenzhen City, Guangdong Province.
 China,518103